



Review of Blaylock-gasket.com

Generated on 2026-07-25

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization	Usability
Mobile	Technologies
Visitors	Social
Link Analysis	

Iconography

 Good	 Hard to solve
 To Improve	 Little tough to solve
 Errors	 Easy to solve
 Not Important	 No action necessary



Title Tag



Gasket Manufacturer & Supplier | Blaylock Gasket & Packing

Length: 58 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Blaylock Gasket & Packing is a custom gasket & mechanical packing manufacturer supplying ISO 9001 quality products to our customers. Contact us today for a quote!

Length: 162 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[Gasket Manufacturer & Supplier | Blaylock Gasket & Packing](#)
[blaylock-gasket.com/](#)

Blaylock Gasket & Packing is a custom gasket & mechanical packing manufacturer supplying ISO 9001 quality products to our customers. Contact us today for a quote!

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	6	5	0	0	3

<H1> Custom Gasket Manufacturer & Supplier </H1>
<H2> Explore Our Quality Materials </H2>
<H2> Our Products </H2>
<H2> Our Capabilities </H2>
<H2> Industries We Serve </H2>
<H2> Real Stories of Quality and Reliability From Our Clients </H2>
<H2> Request a Quote for Your Custom Gasket Needs </H2>
<H3> Contact Us for a Quote on Custom Gaskets and Materials </H3>
<H3> Who We Are </H3>
<H3> Contact Us </H3>
<H3> Our Company </H3>
<H3> Helpful Links </H3>
<H6> HAVE QUESTIONS ABOUT OUR PRODUCTS? </H6>
<H6> SEE WHAT OUR CUSTOMERS HAVE TO SAY </H6>
<H6> QUALIFICATIONS & CREDENTIALS </H6>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

gasket 36 learn 24 packing 19 viton® 18 blaylock 14
 rubber 12 custom 12 more 11 silicone 10 gaskets 10
 quality 9 certified 9 material 8 grade 8 commercial 6

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
gasket	36	✓	✓	✓
learn	24	✗	✗	✗
packing	19	✓	✓	✗
viton®	18	✗	✗	✗
blaylock	14	✓	✓	✗
rubber	12	✗	✗	✗
custom	12	✗	✓	✓
more	11	✗	✗	✗
silicone	10	✗	✗	✗
gaskets	10	✗	✗	✓
quality	9	✗	✓	✓
certified	9	✗	✗	✗
material	8	✗	✗	✓
grade	8	✗	✗	✗
commercial	6	✗	✗	✗

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

Alt Attribute



We found 35 images on this web page
 6 ALT attributes are empty or missing.

assets/images/content/hero-bg-gradient.jpg
assets/images/content/silver-differentiator-icons02.png
assets/images/content/silver-differentiator-icons03.png
assets/images/content/silver-differentiator-icons04.png
assets/images/content/credentials-logo02.png
assets/images/content/credentials-logo03.png

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).
Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text/HTML Ratio



HTML to Text Ratio is: **6.99%**

Text content size 13424 bytes
Total HTML size 192102 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.

GZIP compression



Wow! It's GZIP Enabled.
 Your webpage is compressed from 188 KB to 34 KB (81.7 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.
It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 169.61.52.206 does not redirect to blaylock-gasket.com
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Warning! We have detected parameters in a massive number of URLs
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://blaylock-gasket.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://blaylock-gasket.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



Embedded Objects

Perfect, no embedded objects has been detected on this page



Embedded Objects such as Flash. It should only be used for specific enhancements.

Although Flash content often looks nicer, it cannot be properly indexed by search engines.

Avoid full Flash websites to maximize SEO.



Iframe

Oh no, iframe content has been detected on this page



Frames can cause problems on your web page because search engines will not crawl or index the content within them.

Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Registration

Exactly how many years and months



Domain Age: 12 Years, 283 Days

Created Date: 15th-Oct-2013

Updated Date: 16th-Oct-2025

Expiry Date: 15th-Oct-2026

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.

Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL



<http://blaylock-gasket.com>

Length: 15 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., <http://www.mysite.com/en/products>).



Favicon



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page



Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size



188 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time



0.93 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language



Good, you have declared your language
Declared Language: English

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
blaylock-gasket.net	Already Registered
blaylock-gasket.org	Already Registered
blaylock-gasket.biz	Already Registered
blaylock-gasket.io	Already Registered
blaylock-gasket.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
vlaylock-gasket.com	Already Registered
flaylock-gasket.com	Already Registered
glaylock-gasket.com	Already Registered
hlaylock-gasket.com	Already Registered
nlaylock-gasket.com	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Bad, embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.
But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
169.61.52.206	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✗ Too bad, your website has too many CSS files.
- ✓ Perfect, your website has few JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook: 

 Twitter: 

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$10 USD

Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 150 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
Photo Gallery	Internal Links	Dofollow
Quality	Internal Links	Dofollow
FAQ	Internal Links	Dofollow
Resources	Internal Links	Dofollow
News & Events	Internal Links	Dofollow
1-800-259-8770	Internal Links	Dofollow
Material	Internal Links	Dofollow
Rubber	Internal Links	Dofollow
Viton®	Internal Links	Dofollow
Neoprene	Internal Links	Dofollow
Buna Nitrile (Nitrile & Buna N)	Internal Links	Dofollow
EPDM	Internal Links	Dofollow
Silicone	Internal Links	Dofollow
Red Rubber/ SBR	Internal Links	Dofollow
Gum Natural	Internal Links	Dofollow
Belting	Internal Links	Dofollow
Reinforced & Diaphragm (Cloth-Inserted Gasket Materials)	Internal Links	Dofollow
Butyl	Internal Links	Dofollow
Santoprene	Internal Links	Dofollow
Aflas	Internal Links	Dofollow
Fabreeka	Internal Links	Dofollow
Recycled Rubber	Internal Links	Dofollow
Urethane	Internal Links	Dofollow
Viton®	Internal Links	Dofollow
Commercial Grade Viton®/ Viton® A	Internal Links	Dofollow
Viton® B	Internal Links	Dofollow
Blue Viton®	Internal Links	Dofollow
FDA Viton®	Internal Links	Dofollow
Fiberglass Cloth-Insert Viton®	Internal Links	Dofollow
Mil-Spec Viton®	Internal Links	Dofollow
Soft Viton® 55 Durometer	Internal Links	Dofollow
Hard Viton® 90 Durometer	Internal Links	Dofollow
Premium Viton® GF	Internal Links	Dofollow
Viton® Sponge	Internal Links	Dofollow
Sponge & Foam	Internal Links	Dofollow
Closed Cell Material	Internal Links	Dofollow
Sponge Rubber	Internal Links	Dofollow
Silicone Sponge	Internal Links	Dofollow
Viton Sponge	Internal Links	Dofollow
FDA Sponge	Internal Links	Dofollow
PVC Sponge	Internal Links	Dofollow
Cross-Linked Foam	Internal Links	Dofollow
Open Cell Material	Internal Links	Dofollow
Poron & Urethane (open cell)	Internal Links	Dofollow
Packaging Foam (open cell)	Internal Links	Dofollow

Filter Foam (open cell material)	Internal Links	Dofollow
Plastics	Internal Links	Dofollow
PTFE	Internal Links	Dofollow
Expanded PTFE	Internal Links	Dofollow
Restructed PTFE	Internal Links	Dofollow
Garlock Gylon	Internal Links	Dofollow
Teadit Tealon	Internal Links	Dofollow
Glass Filled PTFE	Internal Links	Dofollow
Compressed Fiber, Cellulose, Felt	Internal Links	Dofollow
Felt	Internal Links	Dofollow
Fiber	Internal Links	Dofollow
CS-301	Internal Links	Dofollow
Vegetable Fiber	Internal Links	Dofollow
Interface Compressed Fiber	Internal Links	Dofollow
Non-Asbestos Material	Internal Links	Dofollow
Cork & Rubber	Internal Links	Dofollow
DK154	Internal Links	Dofollow
Metal	Internal Links	Dofollow
Solid Metal	Internal Links	Dofollow
Stainless Steel	Internal Links	Dofollow
Copper	Internal Links	Dofollow
Specialty Metal Products	Internal Links	Dofollow
High Temp	Internal Links	Dofollow
Graphite	Internal Links	Dofollow
Commercial Grade Silicone Gasket Supplier	Internal Links	Dofollow
Insulation	Internal Links	Dofollow
Viton	Internal Links	Dofollow
Ceramic Fiber	Internal Links	Dofollow
Mica	Internal Links	Dofollow
Silicone	Internal Links	Dofollow
FDA Silicone	Internal Links	Dofollow
Commercial Grade Silicone	Internal Links	Dofollow
Spec Grade Silicone	Internal Links	Dofollow
Silicone Sponge	Internal Links	Dofollow
Mil-Spec	Internal Links	Dofollow
NSF 61	Internal Links	Dofollow
FDA	Internal Links	Dofollow
Products	Internal Links	Dofollow
Gaskets	Internal Links	Dofollow
Neoprene Gaskets & Sheet	Internal Links	Dofollow
Viton® Gaskets & Sheet	Internal Links	Dofollow
Custom Gaskets	Internal Links	Dofollow
Metallic Gaskets	Internal Links	Dofollow
Spiral Wounds	Internal Links	Dofollow
Ring Joints	Internal Links	Dofollow
Jacketed Gaskets	Internal Links	Dofollow
Pads	Internal Links	Dofollow
Seals	Internal Links	Dofollow
O-Rings	Internal Links	Dofollow
Tapes & Stripping	Internal Links	Dofollow
Rolls & Sheet	Internal Links	Dofollow
Packing	Internal Links	Dofollow
Graphite	Internal Links	Dofollow

Style 2255 - Graphite Filled Synthetic	Internal Links	Dofollow
Style 2007 Graphite and PTFE	Internal Links	Dofollow
PTFE Packing	Internal Links	Dofollow
Syle 2019 Synthetic Yarn	Internal Links	Dofollow
Style 2007 Graphite and PTFE	Internal Links	Dofollow
Valve Stem Packing	Internal Links	Dofollow
Boots, Chutes, Sleeves, & Tubing	Internal Links	Dofollow
Shims and Bearing Pads	Internal Links	Dofollow
Capabilities	Internal Links	Dofollow
Die Cutting	Internal Links	Dofollow
CNC Flash Cutting	Internal Links	Dofollow
Waterjet	Internal Links	Dofollow
Extruding & Molding	Internal Links	Dofollow
Rubber Molded Parts	Internal Links	Dofollow
Rubber Extrusions	Internal Links	Dofollow
Machined Rubber and Plastic	Internal Links	Dofollow
Industries Served	Internal Links	Dofollow
Oil & Gas	Internal Links	Dofollow
Energy	Internal Links	Dofollow
Transformer & Electric	Internal Links	Dofollow
Water Department	Internal Links	Dofollow
Filtration NSF 61	Internal Links	Dofollow
Bulk Material Handling	Internal Links	Dofollow
Transportation	Internal Links	Dofollow
Belt Conveyor	Internal Links	Dofollow
Chemical Storage	Internal Links	Dofollow
Construction	Internal Links	Dofollow
Agriculture	Internal Links	Dofollow
Food & Pharmaceutical	Internal Links	Dofollow
FDA	Internal Links	Dofollow
FDA Sponge	Internal Links	Dofollow
White FDA Neoprene	Internal Links	Dofollow
FDA Viton®	Internal Links	Dofollow
FDA Silicone	Internal Links	Dofollow
White FDA EDPM	Internal Links	Dofollow
White FDA Nitrile	Internal Links	Dofollow
Telecom	Internal Links	Dofollow
MRO	Internal Links	Dofollow
OEM	Internal Links	Dofollow
Military (Mil-Spec)	Internal Links	Dofollow
About Us	Internal Links	Dofollow
RFQ	Internal Links	Dofollow
1-800-259-8770	Internal Links	Dofollow
EXPLORE ALL INDUSTRIES	Internal Links	Dofollow
1-800-259-8770	Internal Links	Dofollow
817-244-8787	Internal Links	Dofollow
Sitemap	Internal Links	Dofollow
Privacy Policy	Internal Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links. Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links. Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.