



Review of Cmwtrucks.com

Generated on 2026-07-25

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



Home - CMW Trucks - 48-52 Ford F1 Parts - 53-56 Ford F100 Parts - 1957+ Ford Truck Parts

Length: 88 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



No Description

Length: 0 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[Home - CMW Trucks - 48-52 Ford F1 Parts - 53-56 Ford F100 Parts - 1957+ Ford Truck Parts](#)
[cmwtrucks.com/](#)
 No Description

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
0	33	1	7	0	5

<H2> Power Steering Kits </H2>

<H2> 53 – 56 Ford Truck Power Steering Conversion Kit – For Stock Steering Column </H2>

<H2> 57 – 60 Ford Truck Power Steering Conversion Kit – 400 Series Box – Stock Column </H2>

<H2> 57 – 60 Ford Truck Power Steering Conversion Kit – 400 Series Box – 1” DD Rag Joint </H2>

<H2> 53-56 Ford Truck Power Steering Conversion Kit – With 1” DD to 30 Spline Rag Joint </H2>

<H2> CMW Trucks offers the best classic truck parts for your Ford </H2>

<H2> Recently Added Products </H2>

<H2> 48-52 Ford Truck Clutch And Brake Pedal Floor Opening Plates – F1 & F2 </H2>

<H2> 56 Ford Truck One Piece Window Installation Kit </H2>

<H2> 53-55 Ford Truck One Piece Window Installation Kit </H2>

<H2> 48-60 Ford Truck U-Channels for One Piece Window kit – Pair – SS Bead </H2>

<H2> 48-52 Ford Truck One Piece Window Installation Kit </H2>

<H2> Brake Pedal – Rectangle 3-5/8 x 2-5/8 – Polished Aluminum – 1/2” – 20 TPI stud </H2>

<H2> 53-56 Ford Truck Style Brake Pad (like OEM) for 1/2”-20 TPI stud on Firewall Mount Brake Boosters </H2>

<H2> 42-52 Ford Truck Fuel Tank Filler Hose With Clamps </H2>

<H2> 38-39 Ford Truck Cab Mounting Wood – 2 Piece Set </H2>

<H2> Swap Block™ Ford 7.3L Godzilla Mock Up Engine Block – USA Made </H2>

<H2> DIY Godzilla Engine Mount Kit – USA Made </H2>

<H2> Small Block Ford (SBF) Engine Stand </H2>

<H2> 1953-1979 Ford Truck Tubular Transmission Crossmember – USA Made </H2>

<H2> Swap Block™ Ford 5.0 Coyote Engine Mock Up Block – USA Made </H2>

<H2> DIY Ford 5.0 Coyote Engine Mount Kit – USA Made </H2>

<H2> 48-52 Ford Truck Fender Brace Support – Rubber – Pair </H2>

<H2> Featured Deals for your Project </H2>

<H2> On Sale! </H2>

<H2> 53-72 Ford Bed to Frame Mount Kit – Stainless – Short bed </H2>

<H2> 53-56 Ford Door Handle Relay – Shaft Assembly w/ Arm – LH or RH </H2>

<H2> 53-56 Ford Truck Inner Door Bottom – LH </H2>

<H2> 53-56 Ford Truck Inner Door Bottom – RH </H2>

<H2> Latest News </H2>

<H2> Hemi Powered 32 Ford </H2>
<H2> Pure Gold 54 Chevy 3100 </H2>
<H2> Pretty & Powerful 55 GMC Pickup </H2>
<H3> We carry a wide range of parts for your classic hauler. </H3>
<H4> My Account </H4>
<H4> 1-800-621-5030 : Hours - M-F 8am - 5pm EST </H4>
<H4> Huge Selection </H4>
<H4> Quality Products </H4>
<H4> Manufacturing </H4>
<H4> Fast Delivery </H4>
<H4> Privacy Overview </H4>
<H6> Company </H6>
<H6> Shop Help </H6>
<H6> Quick Links </H6>
<H6> Policies </H6>
<H6> Social </H6>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

ford 71 truck 47 price 14 steering 13 power 12
engine 10 cookies 9 mount 8 shop 7 original 7
chevy 6 brake 6 block 6 door 6 items 5

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
ford	71	✓	✗	✓
truck	47	✓	✗	✓
price	14	✗	✗	✗
steering	13	✗	✗	✓
power	12	✗	✗	✓
engine	10	✗	✗	✓
cookies	9	✗	✗	✗
mount	8	✗	✗	✓
shop	7	✗	✗	✓
original	7	✗	✗	✗
chevy	6	✗	✗	✓
brake	6	✗	✗	✓
block	6	✗	✗	✓
door	6	✗	✗	✓
items	5	✗	✗	✗

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

Alt Attribute



We found 29 images on this web page
 3 ALT attributes are empty or missing.

<https://cmwtrucks.com/wp-content/uploads/2018/01/cmw-trucks-logo-450pix-rgb.webp>
<https://cmwtrucks.com/wp-content/uploads/2018/01/cmw-trucks-logo-450pix-rgb.webp>
<https://cmwtrucks.com/wp-content/uploads/2024/02/Ford-F1-Power-Steering.jpeg>

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).
Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text/HTML Ratio



HTML to Text Ratio is: **1.42%**
Text content size 6787 bytes
Total HTML size 479101 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.
A higher code to text ratio will increase your chances of getting a better rank in search engine results.

GZIP compression



Wow! It's GZIP Enabled.
 Your webpage is compressed from 468 KB to 93 KB (80.2 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.
It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 138.197.23.102 does not redirect to cmwtrucks.com
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://cmwtrucks.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://cmwtrucks.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 13 Years, 148 Days

Created Date: 27th-Feb-2013

Updated Date: 28th-Feb-2026

Expiry Date: 27th-Feb-2027

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL



http://cmwtrucks.com

Length: 9 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page



Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size

468 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.
Page size affects the speed of your website; try to keep your page size below 2 Mb.
Tip: Use images with a small size and optimize their download with gzip.



Load Time

7.5 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.
Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language

Good, you have declared your language
Declared Language: EN-US

Make sure your declared language is the same as the language detected by Google
Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
cmwtrucks.net	Already Registered
cmwtrucks.org	Already Registered
cmwtrucks.biz	Already Registered
cmwtrucks.io	Already Registered
cmwtrucks.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
xmwtrucks.com	Already Registered
smwtrucks.com	Already Registered
dmwtrucks.com	Already Registered
fmwtrucks.com	Already Registered
vmwtrucks.com	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
138.197.23.102	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✖ Too bad, your website has too many CSS files.
- ✖ Too bad, your website has too many JavaScript files.
- ✔ Perfect, your website doesn't use nested tables.
- ✖ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Cmwtrucks

 Twitter: 

 Instagram:  Cmwtrucks

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$10 USD

Just a estimated worth of your website based on Alexa Rank.



In-Page Links



We found a total of 71 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
Ford Truck Parts	Internal Links	Dofollow
1932 – 47 Ford Truck Parts	Internal Links	Dofollow
1948 – 52 Ford Truck Parts	Internal Links	Dofollow
1953 – 56 Ford F100 Parts	Internal Links	Dofollow
1957 – 66 Ford Truck Parts	Internal Links	Dofollow
1966 – 77 Ford Bronco	Internal Links	Dofollow
1967 – 72 Ford Truck Parts	Internal Links	Dofollow
1973 – 79 Ford Truck Parts	Internal Links	Dofollow
1978 – 79 Ford Bronco	Internal Links	Dofollow
Ford Truck Used & NOS Parts	Internal Links	Dofollow
Gifts & Swag	Internal Links	Dofollow
On Sale!	Internal Links	Dofollow
Power Steering Kits	Internal Links	Dofollow
Classic Truck Information	Internal Links	Dofollow
1953 Ford Trucks	Internal Links	Dofollow
1954 Ford Trucks	Internal Links	Dofollow
1955 Ford Trucks	Internal Links	Dofollow
1956 Ford Trucks	Internal Links	Dofollow
1947 – 55 Chevy Trucks	Internal Links	Dofollow
About	Internal Links	Dofollow
Contact	Internal Links	Dofollow
0 Items	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
🔍	Internal Links	Dofollow
Additional Items	Internal Links	Dofollow
Sale! 53 – 56 Ford Truck Power Steering Conversion Kit – For Stock Steering Column \$ 629.00 – \$ 649.00 Price range: \$629.00 through \$649.00 CPP5356PSK-OC	Internal Links	Dofollow
Sale! 57 – 60 Ford Truck Power Steering Conversion Kit – 400 Series Box – Stock Column \$ 647.00 Original price was: \$647.00. \$ 627.00Current price is: \$627.00. CPP-CPP5760PSK-OC	Internal Links	Dofollow
Sale! 57 – 60 Ford Truck Power Steering Conversion Kit – 400 Series Box – 1" DD Rag Joint \$ 659.00 Original price was: \$659.00. \$ 639.00Current price is: \$639.00. CPP-CPP5760PSK-AC	Internal Links	Dofollow
Sale! 53-56 Ford Truck Power Steering Conversion Kit – With 1" DD to 30 Spline Rag Joint \$ 680.00 Original price was: \$680.00. \$ 659.00Current price is: \$659.00. CPP5356PSK-AC	Internal Links	Dofollow
Shop All Power Steering Kits	Internal Links	Dofollow
Shop Now	Internal Links	Dofollow
Shop Now	Internal Links	Dofollow
Shop Now	Internal Links	Dofollow
48-52 Ford Truck Clutch And Brake Pedal Floor Opening Plates – F1 & F2 \$ 43.00 AMD-409-4548-1S	Internal Links	Dofollow
56 Ford Truck One Piece Window Installation Kit \$ 369.00 CMW-56-SSW-INSKIT	Internal Links	Dofollow
53-55 Ford Truck One Piece Window Installation Kit \$ 369.00 CMW-5355-SSW-INSKIT	Internal Links	Dofollow
48-60 Ford Truck U-Channels for One Piece Window kit – Pair – SS Bead \$ 159.00 CMW-48-60-SSW-U-Chan-SS	Internal Links	Dofollow

48-52 Ford Truck One Piece Window Installation Kit \$ 369.00 CMW-4852-SSW-INSKIT	Internal Links	Dofollow
Brake Pedal – Rectangle 3-5/8 x 2-5/8 – Polished Aluminum – 1/2” – 20 TPI stud \$ 39.00 CPP-90197	Internal Links	Dofollow
53-56 Ford Truck Style Brake Pad (like OEM) for 1/2”-20 TPI stud on Firewall Mount Brake Boosters \$ 29.00 CPPP-BPB	Internal Links	Dofollow
42-52 Ford Truck Fuel Tank Filler Hose With Clamps \$ 15.00 ACP-FP-EG028C	Internal Links	Dofollow
38-39 Ford Truck Cab Mounting Wood – 2 Piece Set \$ 269.00 MEF-88035	Internal Links	Dofollow
Swap Block™ Ford 7.3L Godzilla Mock Up Engine Block – USA Made \$ 335.00 GF-EJ-ZILA-DIY	Internal Links	Dofollow
DIY Godzilla Engine Mount Kit – USA Made \$ 159.00 GF-DIYMP-ZILLA-KIT	Internal Links	Dofollow
Small Block Ford (SBF) Engine Stand \$ 115.00 GF-ENGSTAND-SBF	Internal Links	Dofollow
1953-1979 Ford Truck Tubular Transmission Crossmember – USA Made \$ 230.00 GF-RCF100-W	Internal Links	Dofollow
Swap Block™ Ford 5.0 Coyote Engine Mock Up Block – USA Made \$ 309.00 GF-EJ-COYOTE-DIY	Internal Links	Dofollow
DIY Ford 5.0 Coyote Engine Mount Kit – USA Made \$ 159.00 GF-DIYMP-COYOTE	Internal Links	Dofollow
48-52 Ford Truck Fender Brace Support – Rubber – Pair \$ 10.00 DC-7RC-16153-A	Internal Links	Dofollow
Sale! 53-72 Ford Bed to Frame Mount Kit – Stainless – Short bed \$ 29.00 Original price was: \$29.00. \$ 24.00Current price is: \$24.00. CMW-5372HDBSS	Internal Links	Dofollow
Sale! 53-56 Ford Door Handle Relay – Shaft Assembly w/ Arm – LH or RH \$ 59.00 Original price was: \$59.00. \$ 55.00Current price is: \$55.00. OVL-53F-702411	Internal Links	Dofollow
Sale! 53-56 Ford Truck Inner Door Bottom – LH \$ 55.00 Original price was: \$55.00. \$ 49.00Current price is: \$49.00. AMD-515-4553-L	Internal Links	Dofollow
Sale! 53-56 Ford Truck Inner Door Bottom – RH \$ 55.00 Original price was: \$55.00. \$ 49.00Current price is: \$49.00. AMD-515-4553-R	Internal Links	Dofollow
Hemi Powered 32 Ford	Internal Links	Dofollow
Early Ford Trucks	Internal Links	Dofollow
Pure Gold 54 Chevy 3100	Internal Links	Dofollow
47 - 55 Chevy Trucks	Internal Links	Dofollow
Chevy Trucks	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
55 - 59 GMC Trucks	Internal Links	Dofollow
GMC Trucks	Internal Links	Dofollow
About Us	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
Checkout	Internal Links	Dofollow
My Account	Internal Links	Dofollow
Blog	Internal Links	Dofollow
Terms & Conditions	Internal Links	Dofollow
Privacy Policy	Internal Links	Dofollow
Follow	External Links	Dofollow
Follow	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.