



Review of Heatso.com

Generated on 2026-07-25

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



HEATSO - Heating Solutions For Automotive And Marine Applications. 30% Off Dealers Prices.

Length: 90 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Genuine Eberspacher Espar Webasto heaters and parts. 30% Off the dealer prices. Fast Shipping. Eberspacher Airtronic Heater, Webasto diesel heater, Eberspacher fuel pump

Length: 169 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



Eberspacher Espar Airtronic Heater, Webasto diesel heater, Eberspacher fuel pump, ESPAR D2 D4 airtronic 12v 24v 12 volts

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.



[HEATSO - Heating Solutions For Automotive And Marine Applications. 30% Off Dealers Prices.](#)

[heatso.com/](#)

Genuine Eberspacher Espar Webasto heaters and parts. 30% Off the dealer prices. Fast Shipping. Eberspacher Airtronic Heater, Webasto diesel heater, Eberspacher fuel pump

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.



<H1>
1

<H2>
5

<H3>
6

<H4>
0

<H5>
10

<H6>
10

<H2> Shop by Category </H2>
<H2> Our Products </H2>
<H2> Shop by Top Brands </H2>
<H2> Heatso Van Life Blog </H2>
<H2> Footer Start </H2>
<H3> Air Heaters </H3>
<H3> Water Heaters </H3>
<H3> Heaters Parts </H3>
<H3> RV Appliances </H3>
<H3> Off-grid Power </H3>
<H3> Exclusive Discounts and Limited Time Offers </H3>
<H5> What Does H1 Mean on an Espar EasyStart Pro Controller? </H5>
<H5> Espar Hydronic vs Airtronic: Key Differences Explained </H5>
<H5> Espar Airtronic Heater Fault Codes P00012A and P00012B:... </H5>
<H5> Chinese Diesel Heater vs Webasto Heater vs Eberspacher:... </H5>
<H5> 12V Heater for RV: Diesel and Gasoline Hydronic Kits </H5>
<H5> Airtronic Heater Not Heating Enough? Espar B2L Fuel Lin... </H5>
<H5> Espar D2L vs D4L: Choosing the Right Power Output </H5>
<H5> Webasto Air Top 2000 STC D vs Espar Airtronic S3 D2L: W... </H5>
<H5> Heatso at Adventure Van Expo San Juan Capistrano 2025: ... </H5>
<H5> Espar Airtronic fault codes and Eberspacher Hydronic fa... </H5>
<H6> Hello! </H6>
<H6> US-Based Supportvia Help Center </H6>
<H6> Free Shipping within US on orders over \$499* </H6>
<H6> US Based. Fast Dispatch.for RV, Van & Truck HVAC </H6>
<H6> Sales </H6>
<H6> Follow Us </H6>
<H6> Products </H6>
<H6> Brands </H6>
<H6> Resources </H6>
<H6> Let Us Help You </H6>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

heater 37 view 35 espar 35 webasto 30 heaters 29
water 29 airtronic 18 parts 15 eberspacher 15 fuel 11
diesel 10 products 9 stock 9 hydronic 9 cooling 7

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
heater	37	×	✓	✓
view	35	×	×	×
espar	35	×	✓	✓
webasto	30	×	✓	✓
heaters	29	×	✓	✓
water	29	×	×	✓
airtronic	18	×	✓	✓
parts	15	×	✓	✓
eberspacher	15	×	✓	✓
fuel	11	×	✓	✓
diesel	10	×	✓	✓
products	9	×	×	✓
stock	9	×	×	×
hydronic	9	×	×	✓
cooling	7	×	×	×

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

Alt Attribute

We found 100 images on this web page
 11 ALT attributes are empty or missing.

<https://cdn11.bigcommerce.com/s-l0nzwzw0/lib/flags/gb.gif>
<https://cdn11.bigcommerce.com/s-l0nzwzw0/lib/flags/regions/eu.gif>
<https://cdn11.bigcommerce.com/s-l0nzwzw0/lib/flags/us.gif>
<https://cdn11.bigcommerce.com/s-l0nzwzw0/lib/flags/au.gif>
<https://cdn11.bigcommerce.com/s-l0nzwzw0/lib/flags/ca.gif>
https://www.heatso.com/content/images/home/air_heater.webp
https://www.heatso.com/content/images/home/water_heater.webp
https://www.heatso.com/content/images/home/heater_parts.webp
https://www.heatso.com/content/images/home/rv_appliances.webp
https://www.heatso.com/content/images/home/off_grid_power.webp
<https://www.heatso.com/content/images/home/discounts.webp>

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text/HTML Ratio

HTML to Text Ratio is: **3.07%**

Text content size 10860 bytes

Total HTML size 354259 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.

GZIP compression

Wow! It's GZIP Enabled.

 Your webpage is compressed from 346 KB to 64 KB (81.3 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 IP Canonicalization No your domain IP 172.66.43.184 does not redirect to heatso.com

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 URL Rewrite Warning! We have detected parameters in a massive number of URLs

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 Underscores in the URLs Oh no, you are using underscores (these_are_underscores) in your URLs

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.

✓ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.



Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✓ **XML Sitemap** Good, you have XML Sitemap file!



<http://heatso.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

✓ **Robots.txt** Good, you have Robots.txt file!



<http://heatso.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 13 Years, 56 Days

Created Date: 30th-May-2013

Updated Date: 31st-May-2024

Expiry Date: 30th-May-2029

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://heatso.com
Length: 6 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size

346 KB (World Wide Web average is 320 Kb)



Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time

0.66 second(s)



Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language

Good, you have declared your language
Declared Language: English



Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
heatso.net	Already Registered
heatso.org	Already Registered
heatso.biz	Already Registered
heatso.io	Already Registered
heatso.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
beatso.com	Already Registered
geatso.com	Already Registered
teatso.com	Already Registered
yeatso.com	Already Registered
ueatso.com	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Oh No! This page is not mobile-friendly.
Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

⚙ ⚙ ⚙

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
172.66.43.184	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✗ Too bad, your website has too many JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding

Oh no, language/character encoding is not specified!



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Tr

 Twitter: 

 Instagram:  Heatsocom

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$10 USD

Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 219 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
GBP	Internal Links	Dofollow
EUR	Internal Links	Dofollow
USD	Internal Links	Dofollow
AUD	Internal Links	Dofollow
CAD	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Sign Up	Internal Links	Dofollow
Apply for a trade account.	Internal Links	Dofollow
0	Internal Links	Dofollow
Air Heaters	Internal Links	Dofollow
Shop by Vehicle	Internal Links	Dofollow
Mercedes-Benz Sprinter	Internal Links	Dofollow
RAM ProMaster	Internal Links	Dofollow
Ford Transit	Internal Links	Dofollow
Webasto Air Heaters	Internal Links	Dofollow
Air Top 2000 STC	Internal Links	Dofollow
Air Top EVO 40	Internal Links	Dofollow
Air Top EVO 55	Internal Links	Dofollow
12V	Internal Links	Dofollow
24V	Internal Links	Dofollow
Espar Air Heaters	Internal Links	Dofollow
Airtronic D2	Internal Links	Dofollow
Airtronic D4	Internal Links	Dofollow
Airtronic D5	Internal Links	Dofollow
Airtronic Gasoline	Internal Links	Dofollow
Air Heaters by kW	Internal Links	Dofollow
2 kW (7,500 BTU)	Internal Links	Dofollow
4 kW (13,650 BTU)	Internal Links	Dofollow
5 kW (17,050 BTU)	Internal Links	Dofollow
8 kW (27,312 BTU)	Internal Links	Dofollow
Autoterm Heaters	Internal Links	Dofollow
Marine Air Heater Kits	Internal Links	Dofollow
Portable Heaters	Internal Links	Dofollow
Water Heaters	Internal Links	Dofollow
Webasto Water Heaters	Internal Links	Dofollow
12V Webasto Water Heaters	Internal Links	Dofollow
24V Webasto Water Heaters	Internal Links	Dofollow
Espar Water Heaters	Internal Links	Dofollow
12V Espar Water Heaters	Internal Links	Dofollow
24V Espar Water Heaters	Internal Links	Dofollow
Spheros Water Heaters	Internal Links	Dofollow
Marine Water Heaters	Internal Links	Dofollow
3 easy ways to get hot water in an rv / van	Internal Links	Dofollow
How to assemble an rv water system?	Internal Links	Dofollow
Cooling & APU	Internal Links	Dofollow
Rooftop Air Conditioners	Internal Links	Dofollow

Split AC Systems	Internal Links	Dofollow
Parking Coolers	Internal Links	Dofollow
Portable Air Conditioners	Internal Links	Dofollow
Applications	Internal Links	Dofollow
Camper and Van Conversions	Internal Links	Dofollow
RVs and Motorhomes	Internal Links	Dofollow
Trucking and Commercial Fleets	Internal Links	Dofollow
Specialty and Emergency vehicles	Internal Links	Dofollow
Construction and Heavy Machinery	Internal Links	Dofollow
Marine and Boats	Internal Links	Dofollow
RV Appliances	Internal Links	Dofollow
Refrigerators and Freezers	Internal Links	Dofollow
Insulation Kits	Internal Links	Dofollow
Power Systems	Internal Links	Dofollow
Ventilation Systems	Internal Links	Dofollow
Cassette toilets	Internal Links	Dofollow
Routers & LTE Solutions	Internal Links	Dofollow
Cooking / Stove	Internal Links	Dofollow
Water Filtration Systems	Internal Links	Dofollow
Safety and Security Systems	Internal Links	Dofollow
Outlet	Internal Links	Dofollow
Heater Parts	Internal Links	Dofollow
Espar parts and accessories	Internal Links	Dofollow
Air ducting accessories	Internal Links	Dofollow
Blower motors	Internal Links	Dofollow
Heater body parts	Internal Links	Dofollow
Burners	Internal Links	Dofollow
Circuit boards	Internal Links	Dofollow
Control Units (ECU)	Internal Links	Dofollow
Controllers / timers	Internal Links	Dofollow
Diagnostic tools	Internal Links	Dofollow
Exhaust system accessories	Internal Links	Dofollow
Flame Sensors	Internal Links	Dofollow
Fuel line accessories	Internal Links	Dofollow
Fuel pumps	Internal Links	Dofollow
Fuel tanks	Internal Links	Dofollow
Glow pins	Internal Links	Dofollow
Heat exchangers	Internal Links	Dofollow
Installation kits	Internal Links	Dofollow
Mounting brackets	Internal Links	Dofollow
Service parts	Internal Links	Dofollow
Temperature sensors	Internal Links	Dofollow
Water pumps	Internal Links	Dofollow
Water tank / calorifiers	Internal Links	Dofollow
Wiring harness	Internal Links	Dofollow
Webasto parts and accessories	Internal Links	Dofollow
Air ducting accessories	Internal Links	Dofollow
Blower motors	Internal Links	Dofollow
Heater body parts	Internal Links	Dofollow
Burners	Internal Links	Dofollow
Control Units (ECU)	Internal Links	Dofollow
Controllers / timers	Internal Links	Dofollow
Diagnostic tools	Internal Links	Dofollow

Indel B Fridges	External Links	Dofollow
Spheros Control Units	External Links	Dofollow
Webasto Air Heaters	External Links	Dofollow
Webasto Air Top Heaters	External Links	Dofollow
Webasto	External Links	Dofollow
Webasto Heater	External Links	Dofollow
Webasto Water Heaters	External Links	Dofollow
Webasto Water Pumps	External Links	Dofollow
Autoply Insulation	External Links	Dofollow
CTA Swivel Seats	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.